


NCCN Trends™ is an analytics tool from the National Comprehensive Cancer Network® (NCCN®) that surveys how clinicians across the U.S. and around the globe are delivering cancer care. This summary includes the results of the December 2012 NCCN Trends™ Survey, which focused on Non-Small Cell Lung Cancer. This survey was sent to U.S. and International users of NCCN.org.


DEMOGRAPHICS†

Distribution of Respondent Types (n = 1,009)




†Note: Percentages may not total 100 because of rounding.

Q1. Do you treat patients with non-small cell lung cancer (NSCLC)? † (n = 1,009)



†Note: Percentages may not total 100 because of rounding.
© National Comprehensive Cancer Network, Inc. 2013. All Rights Reserved. For Personal Use Only.
This report may not be reproduced or distributed beyond personal use in any form without the express written permission of NCCN.

Q2. In light of recent data presented on the POINTBREAK clinical trial at the Chicago Multidisciplinary Symposium in Thoracic Oncology, how has your 1st line use of a taxane changed in patients with advanced NSCLC adenocarcinoma? † (n = 567)




†Note: Percentages may not total 100 because of rounding.

Q2. In light of recent data presented on the POINTBREAK clinical trial at the Chicago Multidisciplinary Symposium in Thoracic Oncology, how has your 1st line use of a taxane changed in patients with advanced NSCLC adenocarcinoma?

By Geography †

- 1st line taxane use has increased
- 1st line taxane use has decreased
- No change in 1st line taxane use
- I don't use taxanes 1st line in patients with advanced NSCLC adenocarcinoma
- I am not familiar with the POINTBREAK clinical trial




†Note: Percentages may not total 100 because of rounding.

Q2. In light of recent data presented on the POINTBREAK clinical trial at the Chicago Multidisciplinary Symposium in Thoracic Oncology, how has your 1st line use of a taxane changed in patients with advanced NSCLC adenocarcinoma?

By Practice Size †

- 1st line taxane use has increased
- 1st line taxane use has decreased
- No change in 1st line taxane use
- I don't use taxanes 1st line in patients with advanced NSCLC adenocarcinoma
- I am not familiar with the POINTBREAK clinical trial




†Note: Percentages may not total 100 because of rounding.

Q2. In light of recent data presented on the POINTBREAK clinical trial at the Chicago Multidisciplinary Symposium in Thoracic Oncology, how has your 1st line use of a taxane changed in patients with advanced NSCLC adenocarcinoma?

By Practice Setting †

- 1st line taxane use has increased
- 1st line taxane use has decreased
- No change in 1st line taxane use
- I don't use taxanes 1st line in patients with advanced NSCLC adenocarcinoma
- I am not familiar with the POINTBREAK clinical trial




†Note: Percentages may not total 100 because of rounding.

Q2. In light of recent data presented on the POINTBREAK clinical trial at the Chicago Multidisciplinary Symposium in Thoracic Oncology, how has your 1st line use of a taxane changed in patients with advanced NSCLC adenocarcinoma?


By Specialty †

- 1st line taxane use has increased
- 1st line taxane use has decreased
- No change in 1st line taxane use
- I don't use taxanes 1st line in patients with advanced NSCLC adenocarcinoma
- I am not familiar with the POINTBREAK clinical trial



†Note: Percentages may not total 100 because of rounding.


Q3. I use gemcitabine combination therapy in patients with advanced NSCLC (squamous) for the following reasons: (select all that apply) (n = 555)



Q3. I use gemcitabine combination therapy in patients with advanced NSCLC (squamous) for the following reasons: (select all that apply)

By Geography †


- US Midwest
- US Northeast
- US South
- US West
- Europe
- Latin America
- Asia
- Other Non-US



†Note: Percentages may not total 100 because of rounding.

Q3. I use gemcitabine combination therapy in patients with advanced NSCLC (squamous) for the following reasons: (select all that apply)

By Practice Size †




†Note: Percentages may not total 100 because of rounding.

Q3. I use gemcitabine combination therapy in patients with advanced NSCLC (squamous) for the following reasons: (select all that apply)

By Practice Setting


■ Academic Setting
■ Community Setting



Q3. I use gemcitabine combination therapy in patients with advanced NSCLC (squamous) for the following reasons: (select all that apply)

By Specialty †

- Medical Oncology
- Radiation Oncology
- Surgical Oncology
- Internal Medicine
- General Surgery
- Other



†Note: Percentages may not total 100 because of rounding.

NCCN Trends™ is an analytics tool from the National Comprehensive Cancer Network® (NCCN®) that surveys how clinicians across the U.S. and around the globe are delivering cancer care. NCCN Trends™ surveys are designed to reach targeted populations that can include several thousand clinicians as a potential sample size. NCCN can also provide analytics on existing NCCN Trends™ and clinician demographic data sets, allowing for greater insight into oncology practice patterns.

To commission an **NCCN Trends™** survey, to discuss analytic and data services, or to request information on other NCCN programs and resources, please contact:

Christine MacCracken, MSHEd, BSN
Senior Director, Business Insights
215.690.0557
maccracken@nccn.org

National Comprehensive Cancer Network® (NCCN®)

The National Comprehensive Cancer Network® (NCCN®), a not-for-profit alliance of 21 of the world's leading cancer centers, is dedicated to improving the quality and effectiveness of care provided to patients with cancer. Through the leadership and expertise of clinical professionals at NCCN Member Institutions, NCCN develops resources that present valuable information to the numerous stakeholders in the health care delivery system. As the arbiter of high-quality cancer care, NCCN promotes the importance of continuous quality improvement and recognizes the significance of creating clinical practice guidelines appropriate for use by patients, clinicians, and other health care decision-makers. The primary goal of all NCCN initiatives is to improve the quality, effectiveness, and efficiency of oncology practice so patients can live better lives.



National
Comprehensive
Cancer
Network®

275 Commerce Drive • Suite 300
Fort Washington, PA, 19034
Telephone: 215.690.0300
Fax: 215.690.0280

NCCN.org - For Clinicians • NCCN.com - For Patients

*All NCCN Trends™ survey content and resulting data are owned by NCCN. Survey responses are made anonymous to protect the privacy of survey respondents. NCCN may license survey content, data, and analytic results to third parties, but retains the rights to use this data for other purposes, including the support of educational and research efforts or for other strategic or business purposes.