


NCCN Trends™ is an analytics tool from the National Comprehensive Cancer Network® (NCCN®) that surveys how clinicians across the U.S. and around the globe are delivering cancer care. This summary includes the results of the March 2011 NCCN Trends™ Survey, which focused on Chronic Myelogenous Leukemia. This survey was sent to U.S. and International users of NCCN.org.

## DEMOGRAPHICS

### Respondent Demographics (n = 924)†




†Note: Percentages may not total 100 because of rounding


© National Comprehensive Cancer Network, Inc. 2011, All Rights Reserved. For Personal Use Only.

This report may not be reproduced or distributed beyond personal use in any form without the express written permission of NCCN.

**Q1. At this point in time, how many patients with Chronic Myelogenous Leukemia (CML) are you currently treating? (n = 921)**




**By Geography†**




†Note: Percentages may not total 100 because of rounding

**Q1. At this point in time, how many patients with Chronic Myelogenous Leukemia (CML) are you currently treating?**

**By Practice Size†**




**By Practice Setting†**



†Note: Percentages may not total 100 because of rounding


**Q1. At this point in time, how many patients with Chronic Myelogenous Leukemia (CML) are you currently treating?**

**By Specialty†**




†Note: Percentages may not total 100 because of rounding

**Q2. In your current practice, which of the following therapies do you most commonly utilize for newly diagnosed Ph+ chronic phase CML patients? (n = 418)**




**By Geography**




**Q2. In your current practice, which of the following therapies do you most commonly utilize for newly diagnosed Ph+ chronic phase CML patients?**

**By Practice Size**




**By Practice Setting**




**Q2. In your current practice, which of the following therapies do you most commonly utilize for newly diagnosed Ph+ chronic phase CML patients?**


**By Specialty**



**Q3. For your CML patients who are currently receiving treatment, are you using quantitative reverse transcriptase polymerase chain reaction (qRT PCR) testing to monitor patients for response? (n = 417)**



**By Geography†**




†Note: Percentages may not total 100 because of rounding




**Q3. For your CML patients who are currently receiving treatment, are you using quantitative reverse transcriptase polymerase chain reaction (qRT PCR) testing to monitor patients for response?**

**By Practice Size†**



**By Practice Setting†**




†Note: Percentages may not total 100 because of rounding

**Q3. For your CML patients who are currently receiving treatment, are you using quantitative reverse transcriptase polymerase chain reaction (qRT PCR) testing to monitor patients for response?**


**By Specialty†**

- No, not at this time
- Yes, with a lab standardized to International Scale
- Yes, with lab not standardized to International Scale
- Yes, not sure if lab is standardized to International Scale



†Note: Percentages may not total 100 because of rounding

**Q4. Please rank the following criteria for changing tyrosine kinase therapy according to your level of importance.†**




†Note: Percentages may not total 100 because of rounding

**Q4. Please rank the following criteria for changing tyrosine kinase therapy according to your level of importance.**

**By Geography†**

■ Most important ■ Second most important ■ Third most important ■ Fourth most important ■ Fifth most important




†Note: Percentages may not total 100 because of rounding

**Q4. Please rank the following criteria for changing tyrosine kinase therapy according to your level of importance.**

**By Practice Size†**

■ Most important ■ Second most important ■ Third most important ■ Fourth most important ■ Fifth most important




†Note: Percentages may not total 100 because of rounding

**Q4. Please rank the following criteria for changing tyrosine kinase therapy according to your level of importance.**

**By Practice Setting†**

■ Most important ■ Second most important ■ Third most important ■ Fourth most important ■ Fifth most important




†Note: Percentages may not total 100 because of rounding

**Q4. Please rank the following criteria for changing tyrosine kinase therapy according to your level of importance.**

**By Specialty†**

■ Most important ■ Second most important ■ Third most important ■ Fourth most important ■ Fifth most important



†Note: Percentages may not total 100 because of rounding

**NCCN Trends™** is an analytics tool from the National Comprehensive Cancer Network® (NCCN®) that surveys how clinicians across the U.S. and around the globe are delivering cancer care. NCCN Trends™ surveys are designed to reach targeted populations that can include several thousand clinicians as a potential sample size. NCCN can also provide analytics on existing NCCN Trends™ and clinician demographic data sets, allowing for greater insight into oncology practice patterns.

To commission an **NCCN Trends™** survey, to discuss analytic and data services, or to request information on other NCCN programs and resources, please contact:

**Christine MacCracken, MSHEd, BSN**  
**Director, Business Insights**  
**215.690.0557**  
[maccracken@nccn.org](mailto:maccracken@nccn.org)

## **National Comprehensive Cancer Network® (NCCN®)**

The National Comprehensive Cancer Network® (NCCN®), a not-for-profit alliance of 21 of the world's leading cancer centers, is dedicated to improving the quality and effectiveness of care provided to patients with cancer. Through the leadership and expertise of clinical professionals at NCCN Member Institutions, NCCN develops resources that present valuable information to the numerous stakeholders in the health care delivery system. As the arbiter of high-quality cancer care, NCCN promotes the importance of continuous quality improvement and recognizes the significance of creating clinical practice guidelines appropriate for use by patients, clinicians, and other health care decision-makers. The primary goal of all NCCN initiatives is to improve the quality, effectiveness, and efficiency of oncology practice so patients can live better lives.



National  
Comprehensive  
Cancer  
Network®

275 Commerce Drive • Suite 300  
Fort Washington, PA, 19034  
Telephone: 215.690.0300  
Fax: 215.690.0280

[NCCN.org](http://NCCN.org) - For Clinicians • [NCCN.com](http://NCCN.com) - For Patients

\*All NCCN Trends™ survey content and resulting data are owned by NCCN. Survey responses are made anonymous to protect the privacy of survey respondents. NCCN may license survey content, data, and analytic results to third parties, but retains the rights to use this data for other purposes, including the support of educational and research efforts or for other strategic or business purposes.